/ Fwo

CRF Problem Report

The Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

BIOTECHNOLOGY SYSTEMS BRANCH

Application Serial Number: $\frac{10803,095}{31804}$ Filing Date: $\frac{31804}{41804}$

STIC Contact: Mark Spencer: Telephone: 703-308-4212; Fax: 703-308-4221 *Effective 12/13/03:* Telephone: 571-272-2510; Fax: 571-273-0221

<u>Nature of Problem:</u>

▶
RF (was): 14
(circle one) Damaged or Unreadable (for Unreadable, see attached)
Blank (no files on CRF) (see attached)
Empty file (filename present, but no bytes in file) (see attached)
Virus-infected. Virus name: The STIC will not process the CRF.
Not saved in ASCII text
Sequence Listing was embedded in the file. According to Sequence Rules,
submitted file should only be the Sequence Listing.
Did not contain a Sequence Listing. (see attached sample)
Other.

PLEASE USE THE CHECKER VERSION 4.1 PROGRAM TO REDUCE ERRORS. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry directly to (EFFECTIVE 12/01/2003):
 U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202.

Revised 10/08/03

10/803595 118/4 FWO 4/8

□CDNASequence□□□□ SM22a-CRT

Artificial $y \square \square$ coectteett eagatgeeac aaggaggtge tggagtteta tgeaccaata gettaaacca 60

00							
gccaggctgg	ctgtagtgga	ttgagcgtct	gaggctgcac	ctctctggcc	tgcagccagt	120	
tcctgggtga	gactgaccct	gcctgagggt	tctctccttc	cctctctcta	ctcctttcct	180	
ccctctccct	ctccctctct	ctgtttcctg	aggtttccag	gattggggat	gggactcaga	· 240	
gacaccacta	aagccttacc	ttttaagaag	ttgcattcag	tgagtgtgtg	agacatagca	300	
cagatagggg	cagaggagag	ctggttctgt	ctccactgtg	tttggtcttg	ggtactgaac	360	
tcagaccatc	aggtgtgata	gcagttgtct	ttaaccctaa	ccctgagcct	gtctcacctg	420	
tcccttccca	agaccactga	agctaggtgc	aagataagtg	gggacccttt	ctgaggtggt	480	
aggatctttc	acgataagga	ctattttgaa	gggagggagg	gtgacactgt	cctagtcctc	540	
ttaccctagt	gtcctccagc	cttgccaggc	cttaaacatç	cgcccattgt	caccgctcta	600	
gaaggggcca	gggttgactt	gctgctaaac	aaggcactcc	ctagagaagc	acccgctaga	660	
agcataccat	acctgtgggc	aggatgaccc	atgttctgcc	acgcacttgg	tagccttgga	720	
aaggccactt	tgaacctcaa	ttttctcaac	tgttaaatgg	ggtggtaact	gctatctcat '	780	
aataaagggg	aacgtgaaag	gaaggcgttt	gcatagtgcc	tggttgtgca	gccaggctgc	840	
agtcaagact	agttcccacc	aactcgattt	taaagccttg	caagaaggtg	gcttgtttgt	900	
cccttgcagg	ttcctttgtc	gggccaaact	ctagaatgcc	tcccctttc	tttctcattg	960	
aagagcagac	ccaagtccgg	gtaacaagga	agggtttcag	ggtcctgccc	ataaaaggtt	1020	
tttcccggcc	gccctcagca	ccgccccgcc	ccgacccccg	cagcatctcc	aaagcatgca	1080	

(sample of submitted file)

Potest In

".pr;" file was submitted. There is not a walid, complete

".pr;" file was submitted. There is not a walid, complete

Sequence Listing file. Please complete the "pr;" file by

Sequence Listing on "Serenate Sequence Listing "winder.

Application Steps" on main Patent In menu. You can weir

"Application Steps" on main Patent In menu. You can weir

The completed Sequence Listing by cheking on "View/Print

The completed Sequence Listing by cheking on "View/Print

Sequence Listing" under Project "on main menu, File

Looks good, otherwise.